

1/19




Fig. 1

TECHNOLOGICAL

**Fig. 2**

3/19




Fig. 3

4/19




Fig. 4

5/19




Fig. 5

6/19




Fig. 6

7/19




Fig. 7

8/19




Fig. 8



9/19




Fig. 9

10/19




Fig. 10

11/19

Fraction	PrP <sup>c</sup>	PrP <sup>Sc</sup>	PrP <sup>27-30</sup>
Plasminogen	-	+	+
Fibrinogen	-	+	+
Antithrombin III	-	-	+
C1 esterase inhibitor	-	-	+
Antithrombin III heparin complex	-	-	+
Plasma pool	-	-	(+)
Factor IX, Fibrin sealant 2 (!)	-	-	+
12 fractions containing protein mixtures	-	-	+
<b>Total: 20 positive fractions</b>			
Prothrombin complex concentrate	-	-	-
Human albumin	-	-	-
Activated prothrombin complex concentrate	-	-	-
Factor VIII concentrate	-	-	-
Human Thrombin	-	-	-
Factor XIII	-	-	-
Factor IX concentrate, Fibrin sealant 1 (!)	-	-	-
30 fractions containing protein mixtures	-	-	-
<b>Total: 38 negative fractions</b>			

Fig. 11

12/19




Fig. 12

13/19




Fig. 13

14/19




Fig. 14

15/19




Fig. 15

16/19

TOE240-14E04860





Fig. 16



17/19

FOE240" THEO1860

Coupling	MSA	6H4	NMS*
Scrapie	+	-	+
Prot. K	-	-	-



1 2 3 4 5 6 7

	1	2	3	4	5	6	7
Incubation Time (d)	>110	>110	>110	82 89	71 76	>110	72 82
	>110	>110	>110	91 93	76 84	>110	82 87
	>110	>110	>110	93	84	>110	91
	>110	>110	>110			>110	
	>110	>110	>110			>110	
Mean (d)	>110	>110	>110	89.6	78.2	>110	82.8
STDV (d)				4.6	5.7		7.1
log LD <sub>50</sub> (on total beads)	<2.9	<2.9	<2.9	4.7	5.7	<2.9	5.3

Fig. 17




Fig. 18

19/19




Fig. 19

00840441-043210